



PROJECT: LAFAYETTE STREET DRAINAGE

CLIENT: GENESIS GROUP, INC.

PROJECT NO.: 18-100-08-A

PROJECT LOCATION: LEON COUNTY, FL

ELEVATION (FEET):

BORING NO.: LS-7

DATE: 7-10-2008

DRILLER: ROBERT M.

FLUID LOSS: N/A

DEPTH TO - WATER > INITIAL: \approx >5.5' AFTER 24 HOURS: \approx N/T CAVING > C NO

This information pertains only to this boring and should not be interpreted as being indicative of the site.

DEPTH (METERS)	DEPTH (FEET)	SAMPLE	SYMBOL	DESCRIPTION	USCS/AASHTO	TEST RESULTS	Wc (%)	Wc (%)		N	N-Value	
								10	20		10	20
0	0						14	10	10			
				MEDIUM DENSE BROWN CLAYEY SAND	SC A-6	-200%=42	14	20	10			
	3						12					
				FIRM BROWN AND GRAY HIGHLY PLASTIC CLAY	CH A-7-6		22					
1.5							25		5			
	6											
	9											
3												
	12											
	15											
4.5												
	18											
	21											

NOTE: N VALUES WERE OBTAINED USING A CONE PENETROMETER INDEX TEST (CPI)
 N/T MEANS NOT TAKEN
 N/A MEANS NOT APPLICABLE



PROJECT: LAFAYETTE STREET DRAINAGE

CLIENT: GENESIS GROUP, INC.

PROJECT NO.: 18-100-08-A

PROJECT LOCATION: LEON COUNTY, FL

BORING NO.: LS-12

DRILLER: ROBERT M.

ELEVATION (FEET):

DATE: 7-10-2008

FLUID LOSS: N/A

DEPTH TO - WATER> INITIAL: $\frac{1}{4}$ >5.5' AFTER 24 HOURS: $\frac{1}{2}$ N/T CAVING> C. NO

This information pertains only to this boring and should not be interpreted as being indicative of the site.

DEPTH (METERS)	DEPTH (FEET)	SAMPLE	SYMBOL	DESCRIPTION	USCS/AASHTO	TEST RESULTS	Wc (%)	Wc (%)		N	N-Value	
								10	20		10	20
0	0			ASPHALT (1.5-INCHES)								
				CONCRETE (7.0-INCHES)								
				MEDIUM DENSE BROWN CLAYEY SAND	SC A-6	-200%=26	13					
				MEDIUM DENSE BROWN CLAYEY SAND	SM A-2-4		11					
	3			MEDIUM DENSE BROWN CLAYEY SAND	SM A-2-4		8			8		
				SILTY FINE SAND		-200%=38	15					
	1.5			VERY LOOSE BROWN CLAYEY SAND	SC A-6		16					
	6						17			2		
	9											
	12											
	15											
	18											
	21											

NOTE: N VALUES WERE OBTAINED USING A CONE PENETROMETER INDEX TEST (CPI)
 N/T MEANS NOT TAKEN
 N/A MEANS NOT APPLICABLE



PROJECT: LAFAYETTE STREET DRAINAGE
 CLIENT: GENESIS GROUP, INC.
 PROJECT NO.: 18-100-08-A
 PROJECT LOCATION: LEON COUNTY, FL
 BORING NO.: LS-13
 DRILLER: ROBERT M.
 ELEVATION (FEET):
 DATE: 7-7-2008
 FLUID LOSS: N/A
 DEPTH TO - WATER> INITIAL: >5.5' AFTER 24 HOURS: N/T CAVING> NO

This information pertains only to this boring and should not be interpreted as being indicative of the site.

DEPTH (METERS)	DEPTH (FEET)	SAMPLE	SYMBOL	DESCRIPTION	USCS/AASHTO	TEST RESULTS	Wc (%)	Wc (%)		N	N-Value	
								10	20		10	20
0	0			ASPHALT (1.25-INCHES)								
				CONCRETE (7.0-INCHES)								
				MEDIUM DENSE BROWN CLAYEY SAND	SC A-6	-200%=46 LL=34 PI=17	20					
				LOOSE BROWN CLAYEY SAND	SC A-6		24					
	3			FIRM BROWN HIGHLY PLASTIC CLAY	CH A-7-6		27		4			
1.5	6						32					
							34					
							36		4			
	9											
3	12											
	15											
4.5	18											
6	21											

NOTE: N VALUES WERE OBTAINED USING A CONE PENETROMETER INDEX TEST (CPI)
 N/T MEANS NOT TAKEN
 N/A MEANS NOT APPLICABLE