

CONSERVATION EASEMENT #1

STATE OF FLORIDA:
COUNTY OF LEON:

THIS CONSERVATION EASEMENT is hereby made and entered into on this 6th day of May, 2008 by Mason Creek, LLC, whose mailing address is 2115 Trescott Drive, Tallahassee, FL 32308 hereinafter referred to as the "Grantor," to LEON COUNTY, FLORIDA, a political subdivision of the State of Florida, whose mailing address is Board of County Commissioners, 301 South Monroe Street, Tallahassee, Florida 32301, hereinafter referred to as the "Grantee."

WITNESSETH:

For and in consideration of the mutual promises and other good and valuable consideration as set forth herein, the receipt and sufficiency of which is hereby acknowledged, the Grantor does hereby grant to the Grantee, its successors and assigns, a perpetual Conservation Easement in accordance with Section 704.06, Florida Statutes, over and across the real property more particularly described on Exhibit "A", which is attached hereto and expressly incorporated herein, on the terms and conditions hereinafter set forth:

The following activities are prohibited within this easement, pursuant to Section 704.06, Florida Statutes:

1. Construction or placing of buildings, roads, signs, billboards or other advertising, utilities, or other structures above or on the ground.
2. Dumping or placing of soil or other substance or material as landfill, or dumping or placing of trash, waste, or unsightly or offensive materials.
3. Removal or destruction of trees, shrubs, or other vegetation.
4. Excavation, dredging, or removal of loam, peat, gravel, soil, rock, or other material substance in such matter as to affect the surface.
5. Surface use except for purposes that permit the land or water area to remain predominately in its natural condition.
6. Activities detrimental to drainage, flood control, water conservation, erosion control, soil conservation, or fish and wildlife conservation habitat preservation.
7. Acts or uses detrimental to such retention of land or water areas.
8. Acts or uses detrimental to the preservation of the structural integrity or physical appearance of sites or properties of historical, architectural, archeological, or cultural significance.

It is understood that the granting of this easement entitles the Grantee to enter the above described land in a reasonable manner and at reasonable times to assure compliance with the conditions of this easement.

Notwithstanding the foregoing, the Grantor shall be permitted to perform the activities set forth in the Mason's Creek Parcel Habitat Protection & Management Plan Leon County, FL.

Grantor hereby fully warrants the title to said real property and will defend the same against the lawful claims of all persons whomsoever claimed by, through or under it, that it has good rights and lawful authority to grant this easement and that the same is unencumbered. Where the context of this easement requires, allows or permits, the same shall include the successors or assigns of the parties.

The easement granted hereby shall run with the land and shall ensure to the benefit of the Grantee and its successors and assigns.

IN WITNESS WHEREOF, Grantor has caused these covenants to be executed and its seal to be affixed hereto on the day and year first above written.

GRANTOR

MASON CREEK, LLC
(Name of Corporation Typewritten)

[Signature]
(Signature of Officer or Agent)

Blair L. Bailey, Managing Member
(Print Name and Title of Officer or Agent)

WITNESSES:
[Signature]
(Sign)
JUDE A. BURK
(Print Name)

[Signature]
(Sign)
Daniela Farris
(Print Name)


STATE OF FLORIDA
COUNTY OF LEON

The foregoing instrument was acknowledged before me this 6th day of MAY, 2008, by BLAIR L. BAILEY, MANAGING MEMBER,
(name of officer or agent, title of officer or agent)

of MASON CREEK, LLC, a FLORIDA corporation,
(name of corporation acknowledging) (state or place of incorporation)

on behalf of the corporation. He/she is personally known to me or has produced _____
as identification. (type of identification)

[Signature]
(Signature of Notary)



(Title or Rank) (Serial Number, If Any)

This Document Prepared by: Herbert W.A. Thiele, Esq., County Attorney
Leon County Attorney's Office
Suite 202, 301 South Monroe Street
Tallahassee, Florida 32301

CONSERVATION EASEMENT #2

STATE OF FLORIDA:
 COUNTY OF LEON:

THIS CONSERVATION EASEMENT is hereby made and entered into on this 6th day of May, 2008 by Mason Creek, LLC, whose mailing address is 2115 Trescott Drive, Tallahassee, FL 32308 hereinafter referred to as the "Grantor," to LEON COUNTY, FLORIDA, a political subdivision of the State of Florida, whose mailing address is Board of County Commissioners, 301 South Monroe Street, Tallahassee, Florida 32301, hereinafter referred to as the "Grantee."

WITNESSETH:

For and in consideration of the mutual promises and other good and valuable consideration as set forth herein, the receipt and sufficiency of which is hereby acknowledged, the Grantor does hereby grant to the Grantee, its successors and assigns, a perpetual Conservation Easement in accordance with Section 704.06, Florida Statutes, over and across the real property more particularly described on Exhibit "A", which is attached hereto and expressly incorporated herein, on the terms and conditions hereinafter set forth:

The following activities are prohibited within this easement, pursuant to Section 704.06, Florida Statutes:

1. Construction or placing of buildings, roads, signs, billboards or other advertising, utilities, or other structures above or on the ground.
2. Dumping or placing of soil or other substance or material as landfill, or dumping or placing of trash, waste, or unsightly or offensive materials.
3. Removal or destruction of trees, shrubs, or other vegetation.
4. Excavation, dredging, or removal of loam, peat, gravel, soil, rock, or other material substance in such matter as to affect the surface.
5. Surface use except for purposes that permit the land or water area to remain predominately in its natural condition.
6. Activities detrimental to drainage, flood control, water conservation, erosion control, soil conservation, or fish and wildlife conservation habitat preservation.
7. Acts or uses detrimental to such retention of land or water areas.
8. Acts or uses detrimental to the preservation of the structural integrity or physical appearance of sites or properties of historical, architectural, archeological, or cultural significance.

It is understood that the granting of this easement entitles the Grantee to enter the above described land in a reasonable manner and at reasonable times to assure compliance with the conditions of this easement.

Notwithstanding the foregoing, the Grantor shall be permitted to perform the activities set forth in the Mason's Creek Parcel Habitat Protection & Management Plan Leon County, FL.

Grantor hereby fully warrants the title to said real property and will defend the same against the lawful claims of all persons whomsoever claimed by, through or under it, that it has good rights and lawful authority to grant this easement and that the same is unencumbered. Where the context of this easement requires, allows or permits, the same shall include the successors or assigns of the parties.

The easement granted hereby shall run with the land and shall ensure to the benefit of the Grantee and its successors and assigns.

IN WITNESS WHEREOF, Grantor has caused these covenants to be executed and its seal to be affixed hereto on the day and year first above written.

GRANTOR

MASON CREEK, LLC
(Name of Corporation Typewritten)

[Handwritten Signature]
(Signature of Officer or Agent)

Blair L. Bailey, Managing Member
(Print Name and Title of Officer or Agent)

WITNESSES:

[Handwritten Signature]
(Sign)
JUDE A. BURK
(Print Name)

[Handwritten Signature]
(Sign)
Daniela Farris
(Print Name)


STATE OF FLORIDA
COUNTY OF LEON

The foregoing instrument was acknowledged before me this 16th day of MAY 2008, by BLAIR L. BAILEY, MANAGING MEMBER,
(name of officer or agent, title of officer or agent)

of MASON CREEK, LLC, a FLORIDA corporation,
(name of corporation acknowledging) (state or place of incorporation)

on behalf of the corporation. He/she is personally known to me or has produced _____
as identification. (type of identification)


[Handwritten Signature]
(Signature of Notary)



(Title or Rank) (Serial Number, If Any)

This Document Prepared by: Herbert W.A. Thiele, Esq., County Attorney
Leon County Attorney's Office
Suite 202, 301 South Monroe Street
Tallahassee, Florida 32301

SKETCH OF DESCRIPTION SECTION 8, TOWNSHIP 1 SOUTH, RANGE 2 EAST, LEON COUNTY, FLORIDA



LINE TABLE

LINE	LENGTH	BEARING	LINE	LENGTH	BEARING
L1	52.51'	N54°11'42"W	L13	54.80'	N89°54'54"E
L2	30.15'	N54°11'42"W	L14	16.92'	N55°27'21"E
L3	29.63'	N05°28'20"E	L15	56.62'	S20°12'38"W
L4	74.85'	S89°55'20"W	L16	100.18'	N78°10'23"W
L5	63.18'	S58°36'49"W	L17	59.94'	S84°44'18"W
L6	37.12'	N27°53'04"W	L18	68.67'	S86°51'14"W
L7	66.43'	S89°55'20"W	L19	62.06'	S81°58'04"W
L8	11.03'	N89°54'54"E	L20	22.28'	N74°50'37"W
L9	94.86'	N11°17'14"E	L21	24.50'	N72°22'37"W
L10	87.59'	N24°14'45"E	L22	48.92'	N68°01'59"W
L11	103.76'	N18°36'27"E	L23	32.35'	N55°16'58"W
L12	38.95'	N02°53'04"W			

LEGEND

- BACK OF CURB
- CENTERLINE
- CH= CHORD BEARING AND DISTANCE
- Δ= DELTA OR CENTRAL ANGLE
- CA= CALCULATED INFORMATION
- DEED= DEED INFORMATION
- DEED BOOK
- FCM= FOUND 4" CONCRETE MONUMENT
- FCM= FOUND NAIL IN CAP
- FSM= FOUND SURVEY MARKER (AS LABELED)
- L= LENGTH OF ARC
- ORP= OFFICIAL RECORDS BOOK AND PAGE
- P= PLAT INFORMATION
- PBP= PLAT BOOK AND PAGE
- POC= POINT OF COMMENCEMENT
- POB= POINT OF BEGINNING
- ROW= RIGHT OF WAY
- R= RADIOS
- SI= SURVEY INFORMATION
- SET= SET 4" CONCRETE MONUMENT LBM745
- SET= SET ROD AND CAP (7245)
- SET= SET NAIL AND CAP (3724)
- PRO= PROFESSIONAL LAND SURVEY CERTIFICATE
- ROD= ROD
- TELEPHONE POLE
- SIGNAL POLE
- OUT ANCHOR
- GAS METER
- GAS VALVE
- WATER VALVE
- SANITARY SEWER FLOW ARROW
- SET ROD & CAP (7245)
- ELECTRIC BOX
- TELEPHONE PEDESTAL
- OUT POLE
- POWER POLE
- LIGHT POLE
- FIRE HYDRANT
- CURB INLET
- YARD DRAIN
- GRATE INLET
- STORM MARKHOLE
- BACK FLOW PREVENTER
- STORM FLOW ARROW
- BENCHMARK
- MONITORING WELL
- HOSE END
- WATER METER
- SANITARY SEWER MARKHOLE
- FOUND SURVEY MARKER (AS LABELED)
- FOUND / SET 4" CONCRETE MONUMENT (AS LABELED)
- TREE (IF OK)

Moore Bass Consulting
The Drawings, Specifications and other documents prepared by Moore Bass Consulting, Inc. (MB) for this Project are instruments of MB for use solely with respect to this Project and, unless otherwise provided, MB shall be deemed the author of these documents and shall retain all common law, statutory and other reserved rights, including the copyright.

Moore Bass Consulting
TALLAHASSEE DESTIN ATLANTA
www.moorebass.com

CLIENT NAME
NEEK'S CONSTRUCTION, INC.

PROJECT NAME
MARIANA OAKS PHASE II
SKETCH & DESCRIPTIONS - EASEMENTS

DATE
APRIL 23, 2007

DRAWN BY
BIC

SHEET TITLE
SKETCH OF DESCRIPTION
CONSERVATION EASEMENT #1

2/3

SKETCH OF DESCRIPTION

SECTION 8, TOWNSHIP 1 SOUTH, RANGE 2 EAST, LEON COUNTY, FLORIDA

- GENERAL NOTES:**
1. NO IMPROVEMENTS LOCATED OTHER THAN SHOWN HEREON.
 2. BEARINGS ARE BASED ON STATE PLANE COORDINATES, FLORIDA NORTH ZONE, NAD 83.
 3. THIS IS NOT A BOUNDARY SURVEY.
 4. ADDITIONS OR DELETIONS TO SURVEY MAP OR REPORT BY OTHER THAN THE SIGNING PARTY OR PARTIES IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY OR PARTIES.

LEGAL DESCRIPTION:

COMMENCE at the Southeast corner of the Northwest Quarter (NW 1/4) of the Northwest Quarter (NW 1/4) of Section 8, Township 1 South, Range 2 East, Leon County, Florida; thence West along the South line of said NW 1/4 of NW 1/4, 1008.90 feet; thence S 00° 20' 00" E, 666.65 feet; thence East, 1348.77 feet; thence S 00° 15' 01" E, 665.97 feet; thence N 89° 52' 28" W, 373.79 feet to the POINT OF BEGINNING. From said POINT OF BEGINNING run thence S 00° 04' 40" E, 535.96 feet; thence S 89° 55' 20" W, 187.44 feet; thence S 00° 04' 40" E, 86.26 feet; thence S 51° 47' 52" E, 21.70 feet; thence N 35° 53' 24" E, 13.02 feet; thence S 54° 06' 36" E, 53.15 feet; thence S 01° 49' 59" E, 33.67 feet; thence S 01° 49' 59" E, 46.33 feet; thence S 07° 21' 58" E, 62.97 feet; thence S 39° 32' 04" W, 85.43 feet; thence S 26° 21' 25" W, 28.15 feet; thence S 20° 12' 38" W, 56.62 feet; thence N 78° 10' 23" W, 100.18 feet; thence S 84° 44' 18" W, 59.94 feet; thence S 86° 51' 14" W, 68.67 feet; thence S 81° 58' 04" W, 62.06 feet; thence N 74° 50' 37" W, 22.28 feet; thence N 72° 22' 37" W, 24.50 feet; thence N 68° 01' 59" W, 48.92 feet; thence N 55° 16' 58" W, 32.35 feet; thence S 89° 55' 20" W, 196.17 feet; thence S 00° 04' 40" E, 106.07 feet; thence N 64° 29' 52" W, 70.71 feet; thence S 73° 30' 53" W, 42.10 feet; thence N 16° 29' 07" W, 30.69 feet; thence S 72° 11' 44" W, 30.01 feet; thence S 16° 29' 07" E, 30.11 feet; thence S 74° 25' 27" W, 40.43 feet; thence N 63° 26' 29" W, 14.27 feet; thence N 57° 36' 02" W, 41.87 feet; thence N 54° 11' 42" W, 52.51 feet; thence N 54° 11' 42" W, 30.15 feet; thence N 05° 28' 20" E, 29.63 feet; thence S 89° 55' 20" W, 74.85 feet; thence S 58° 36' 49" W, 63.18 feet; thence N 27° 53' 04" W, 37.12 feet; thence S 89° 55' 20" W, 66.43 feet to the Easterly Right-of-Way boundary of Williams Road; thence along Easterly Right-of-Way boundary the following courses: N 00° 05' 07" W, 228.07 feet to a point on a curve to the right; thence Northeasterly along said Right-of-Way boundary, having a radius of 1167.00 feet and curve through a central angle of 21° 18' 36" for an arc length of 434.04 feet (chord bears N 10° 34' 11" E, 431.54 feet); thence leaving said Easterly Right-of-Way boundary, N 89° 54' 54" E, 106.80 feet; thence S 45° 05' 06" E, 111.70 feet; thence N 89° 54' 54" E, 11.03 feet; thence N 11° 17' 14" E, 94.86 feet; thence N 24° 14' 45" E, 87.59 feet; thence N 18° 36' 27" E, 103.76 feet; thence N 02° 53' 04" W, 38.95 feet; thence N 89° 54' 54" E, 54.80 feet; thence N 55° 27' 21" E, 16.92 feet; thence S 89° 51' 58" E, 452.28 feet; thence S 89° 49' 34" E, 410.48 feet to the POINT OF BEGINNING.

Containing 24.00 acres

<p>LEGEND</p> <p>BACK OF CURB CENTERLINE CHORD BEARING AND DISTANCE DELTA OR CENTRAL ANGLE CALCULATED INFORMATION DEED INFORMATION DEED BOOK FOUND 4"X4" CONCRETE MONUMENT FOUND NAIL IN CAP FOUND SURVEY MARKER (AS LABELED) LENGTH OF ARC OFFICIAL RECORDS BOOK AND PAGE PLAT INFORMATION</p>	<p>PLAT BOOK AND PAGE POINT OF COMMENCEMENT POINT OF BEGINNING RIGHT-OF-WAY RADIUS SURVEY INFORMATION SET 4"X4" CONCRETE MONUMENT LIMITS SET ROD AND CAP (IT26) SET NAIL AND CAP (IT26) PROFESSIONAL LAND SURVEY CERTIFICATE</p>	<p>ELECTRIC BOX TELEPHONE PEDESTAL GUY POLE POWER POLE LIGHT POLE FIRE HYDRANT CURB INLET YARD DRAIN GRATE INLET STORM MANHOLE BACK FLOW PREVENTER</p>	<p>STORM FLOW ARROW BENCHMARK MONITORING WELL HOSE END WATER METER SANITARY SEWER MANHOLE FOUND SURVEY MARKER (AS LABELED) FOUND 1 SET 4"X4" CONCRETE MONUMENT (AS LABELED)</p>
--	--	--	---

Moore Bass Consulting
The Drawings, Specifications and other documents prepared by Moore Bass Consulting, Inc. (MB) for this Project are instruments of MB for use solely with respect to this Project and, unless otherwise provided, MB shall be deemed the author of these documents and shall retain all common law, statutory and other reserved rights, including the copyright.



CONSULTING

TALLAHASSEE DESTIN ATLANTA


www.moorebass.com

SCALE


11
FILE # 06-356 0383-SK-EASMT5.dwg
CONTRACT # 1438 003 ARCHIVE
NOTEBOOK # PAGE #
DATE APRIL 23, 2007 DRAWN BY BKL
SHEET TITLE SKETCH OF DESCRIPTION CONSERVATION EASEMENT #1

SKETCH OF DESCRIPTION

SECTION 8, TOWNSHIP 1 SOUTH, RANGE 2 EAST, LEON COUNTY, FLORIDA



<p>BOC BACK OF CURB CAL CENTERLINE CH# CHORD BEARING AND DISTANCE Δ# DELTA OR CENTRAL ANGLE (C) CALCULATED INFORMATION (D) DEED INFORMATION (DB) DEED BOOK FCM FOUND 4" CONCRETE MONUMENT FNC FOUND NAIL IN CAP FSM FOUND SURVEY MARKER (AS LABELED) L# LENGTH OF ARC OR/P# OFFICIAL RECORDS BOOK AND PAGE (P) PLAT INFORMATION</p>	<p>PP/P# PLAT BOOK AND PAGE POC POINT OF COMMENCEMENT POB POINT OF BEGINNING R/W# RIGHT-OF-WAY R# RADIUS (S) SURVEY INFORMATION SCM SET 4" CONCRETE MONUMENT 1/4" DIA SFC SET ROD AND CAP (17245) SNC SET NAIL AND CAP (17245) ROD PROFESSIONAL LAND SURVEY CERTIFICATE</p>	<p>LEGEND</p> <p>☎ TELEPHONE POLE ☎ SIGNAL POLE ☎ GUY ANCHOR ☎ GAS METER ☎ GAS VALVE ☎ WATER VALVE ☎ SANITARY SEWER FLOW ARROW ☎ SET ROD & CAP (17245)</p> <p>☎ ELECTRIC BOX ☎ TELEPHONE PEDESTAL ☎ GUY POLE ☎ POWER POLE ☎ LIGHT POLE ☎ FIRE HYDRANT ☎ CURB INLET ☎ YARD DRAIN ☎ GRATE INLET ☎ STORM MANHOLE ☎ BACK FLOW PREVENTER</p> <p>→ STORM FLOW ARROW ⊕ BENCHMARK ⊕ MONITORING WELL ⊕ HOSE END ⊕ WATER METER ⊕ SANITARY SEWER MANHOLE ⊕ FOUND SURVEY MARKER (AS LABELED) ⊕ FOUND 1 SET 1/4" CONCRETE MONUMENT (AS LABELED)</p> <p>○ TREE (R' OAK)</p>	<p>GRAPHIC SCALE</p> <p>0 100 200 400</p> <p>1 inch = 200 ft</p> <p>FILE # 06-356 0663-SKH-ESM15.dwg CONTRACT # 1836-003 ARCHIVE NOTEBOOK # PAGE # DATE APRIL 23, 2007 DRAWN BY SKL</p>
<p>© Moore Bass Consulting The Drawings, Specifications and other documents prepared by Moore Bass Consulting, Inc. (MB) for this Project are instruments of MB for use solely with respect to this Project and, unless otherwise provided, MB shall be deemed the author of these documents and shall retain all common law, statutory and other reserved rights, including the copyright.</p>		<p>I hereby certify that the SKETCH OF DESCRIPTION shown hereon meets the Minimum Technical Standards for Land Surveying in the State of Florida (F.A.C. 61G17-5). The undersigned surveyor has not been provided a current title opinion or abstraction of matters affecting title or boundary to the subject property. It is possible there are deeds of record, unrecorded deeds, easements or other instruments which could affect the boundaries.</p> <p style="text-align: center;"><i>Larry D. Davis</i> LARRY D. DAVIS REGISTERED FLORIDA SURVEYOR NO. 5254</p>	
<p>MOORE BASS CONSULTING, INC. 805 N. GARDEN STREET TALLAHASSEE, FL 32301 (850) 222-5674 CERTIFICATE OF AUTHORIZATION NO. 00007245</p>		<p>CLIENT NAME PROJECT NAME SHEET TITLE</p> <p>MEEKES CONSTRUCTION, INC MARIANA OAKS PHASE II SKETCH & DESCRIPTIONS - EASEMENTS</p> <p style="text-align: right; font-size: 2em; font-weight: bold;">11</p>	



- GENERAL NOTES:**
- NO IMPROVEMENTS LOCATED OTHER THAN SHOWN HEREON
 - BEARINGS ARE BASED ON STATE PLANE COORDINATES, FLORIDA NORTH ZONE, NAD 83.
 - THIS IS NOT A BOUNDARY SURVEY.
 - ADDITIONS OR DELETIONS TO SURVEY MAP OR REPORT BY OTHER THAN THE SIGNING PARTY OR PARTIES IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY OR PARTIES.

LEGAL DESCRIPTION:
COMMENCE AT THE SOUTHEAST CORNER OF THE NORTHWEST QUARTER OF THE NORTHWEST QUARTER OF SECTION 8, TOWNSHIP 1 SOUTH, RANGE 2 EAST, LEON COUNTY, FLORIDA; THENCE WEST, 1008.90 FEET; THENCE S 00° 20' 00" E, 666.65 FEET; THENCE EAST, 1348.77 FEET TO A FOUND CONCRETE MONUMENT (#1254); THENCE S 00° 04' 40" E, 1434.51 FEET AND THE POINT OF BEGINNING; THENCE S 00° 04' 40" E, 70.00 FEET TO A FOUND IRON PIPE (#7245) LYING ON THE NORTHERLY RIGHT OF WAY BOUNDARY OF ST. AUGUSTINE ROAD (60' RIGHT OF WAY); THENCE ALONG SAID NORTHERLY RIGHT OF WAY BOUNDARY THE FOLLOWING 2 COURSES TO WIT: N 89° 53' 50" W, 661.78 FEET TO A FOUND IRON PIPE (#7245); N 87° 25' 10" W, 644.72 FEET TO A FOUND IRON PIPE (#7245) AND THE EASTERLY RIGHT OF WAY BOUNDARY OF WILLIAMS ROAD (MAINTAINED RIGHT OF WAY); THENCE ALONG SAID EASTERLY RIGHT OF WAY BOUNDARY, N 00° 05' 07" W, 70.08 FEET, THENCE DEPART SAID EASTERLY RIGHT OF WAY BOUNDARY, S 87° 25' 10" E, 644.72 FEET; THENCE S 89° 53' 50" E, 650.04 FEET TO THE POINT OF BEGINNING, CONTAINING, 2.08 ACRES, MORE OR LESS.

BC	BACK OF CURB	PI/PB	PLAT BOOK AND PAGE	LEGEND	EB	ELECTRIC BOX	STORM FLOW ARROW
CL	CENTERLINE	POC	POINT OF COMMENCEMENT	TELEPHONE POLE	EP	TELEPHONE PEDESTAL	BENCHMARK
CH	CHORD BEARING AND DISTANCE	POB	POINT OF BEGINNING	SIGNAL POLE	GP	GUY POLE	MONITORING WELL
CI	CURB OR CENTERLINE ANGLE	ROW	RIGHT-OF-WAY	GUY ANCHOR	PP	POWER POLE	HOSE BID
(C)	CALCULATED INFORMATION	R+	RADIUS	GAS METER	LI	LIGHT POLE	WATER METER
(DI)	DEED INFORMATION	(SI)	SURVEY INFORMATION	GAS VALVE	FI	FIRE HYDRANT	YARD DRAIN
DS	DEED BOOK	SCM	SET 4" CONCRETE MONUMENT LB#7245	GRATE INLET	CL	CLUB INLET	GRATE INLET
FCM	FOUND 4" CONCRETE MONUMENT	SRIC	SET ROD AND CAP (#7245)	WATER VALVE	SD	SAINTARY SEWER FLOW ARROW	STORM MANHOLE
FRG	FOUND IRON PIPE IN CAP	SNIC	SET NAIL AND CAP (#7245)	SAINTARY SEWER FLOW ARROW	SP	SET ROD & CAP (#7245)	BACK FLOW PREVENTER
FSM	FOUND SURVEY MARKER (AS LABELED)	#000	PROFESSIONAL LAND SURVEY CERTIFICATE	SET ROD & CAP (#7245)			
L	LENGTH OF ARC						
OR/Ps	OFFICIAL RECORDS BOOK AND PAGE						
(PI)	PLAT INFORMATION						

Moore Bass Consulting
The Drawings, Specifications and other documents prepared by Moore Bass Consulting, Inc. (MB) for this Project are instruments of MB for use solely with respect to this Project and, unless otherwise provided, MB shall be deemed the author of these documents and shall retain all common law, statutory and other reserved rights, including the copyright.



SEAL

11

GRAPHIC SCALE

0 100 200 400

1 inch = 200 ft.

FILE #	08-358	0383-SK04-ESMETS.dwg
CONTRACT #	1438 023	ARCHIVE
NOTEBOOK #		PAGE #
DATE	APRIL 23, 2007	DRAWN BY
		BKL

MOORE BASS CONSULTING, INC. 805 N. GADSDEN STREET TALLAHASSEE, FL 32309 (850) 222-5478 CERTIFICATE OF AUTHORIZATION NO. 0007245	CLIENT NAME MEEEKS CONSTRUCTION, INC.	PROJECT NAME MARIANA OAKS PHASE II SKETCH & DESCRIPTIONS - EASEMENTS	SHEET TITLE SKETCH OF DESCRIPTION CONSERVATION EASEMENT #2	2/2
--	---	--	--	-----

C:\Projects\0383_00\Workfiles\SURVEYS\KTE\THE-SG383-SK04-ESMETS.dwg, 6.5x14 SK04 CON-ESMT 2 (202).dwg, May 06, 2008 - 10:13:58am