


LEGEND

- TRANSPLANTED LIVE OAK
- ALEE ELM
- LIVE OAK
- AMERICAN HOLLY
- FRINGE TREE
- DOGWOOD
- MUSKOGEE CREPE MYRTLE (STANDARD TRUNK)
- TUSCARORA CREPE MYRTLE (MULTI-TRUNK)
- SAGO PALM
- DWAUF BURFORD HOLLY
- COONTIE PALM
- DWAUF ASIAN JASMINE
- AFRICAN BULBINE
- LIRIOPE 'GREEN GODDESS'
- SOD
- ANNUALS



U. S. HIGHWAY No. 27 NORTH
(NORTH MONROE ST.)
RIGHT OF WAY VARIES

PLANTING CREDITS

32 3" CAL. TREES AT 1 CREDIT EA. (PLANT LIST A) = 32 CREDITS
 9 3" CAL. TREES AT 5 CREDIT EA. (PLANT LIST C) = 45 CREDITS
 50 2"-3" CAL. TREES AT 6 CREDIT EA. (PLANT LIST D) = 300 CREDITS
 = 377 TOTAL PLANTING CREDITS

CREDIT/DEBIT SUMMARY

PRESERVATION CREDITS = 268 TOTAL CREDITS
 PLANTING CREDITS = 377 TOTAL CREDITS
 = 645 TOTAL CREDITS

REMOVAL DEBITS = 238 TOTAL DEBITS

TOTAL DEVELOPED AREA = 11.54 AC.
 REQUIRED TREE REFORESTATION CREDIT RATIO = 40.00 CREDITS/AC.
 PROVIDED TREE REFORESTATION CREDIT RATIO = 55.89 CREDITS/AC.

PLANTING SCHEDULE

PLANT LIST	QUANTITY	COMMON NAME	BOTANICAL NOMENCLATURE	SPECIFICATIONS
TREES				
	1	LIVE OAK	<i>Quercus virginiana</i>	site transplanted (see plan) 6"-8" cal., selection by owner and LA
C	9	LIVE OAK	<i>Quercus virginiana</i>	3" cal., 12'-14' ht., 6-7" spr., locate as shown.
D	38	ALLEE ELM	<i>Ulmus parvifolia 'Emer II'</i>	3" cal., 15'-16' ht., 8-9" spr., locate as shown.
A	11	MUSKOGEE CRAPE MYRTLE	<i>Lagerstroemia x faurei 'Muskogee'</i>	3" cal., standard trunk, 11-12' ht., 7" spr., locate as shown.
A	21	TUSCARORA CRAPE MYRTLE	<i>Lagerstroemia x faurei 'Tuscarora'</i>	multi-trunk min. 3 trunks @ 1-1/4" cal., 9-10' ht., 6" spr.
D	3	AMERICAN HOLLY	<i>Ilex opaca</i>	3" cal., 11'-12' ht., 4-5" spr., locate as shown.
D	6	FRINGE TREE	<i>Chionanthus virginicus</i>	2" cal., 8'-10' ht., 3-4" spr., locate as shown.
D	3	FLOWERING DOGWOOD	<i>Cornus florida</i>	2" cal., 8'-10' ht., 3-4" spr., locate as shown.
SHRUBS				
	7	SAGO PALM	<i>Cycas revoluta</i>	24-30" ht. and spr., min. 20 leaves, locate as shown
	11	SAGO PALM	<i>Cycas revoluta</i>	15-20" ht. and spr., min. 12 leaves, locate as shown
	25	DWAUF BURFORD HOLLY	<i>Ilex cornuta 'Dwarf Burford'</i>	20-34" ht., 18-24" spr., spaced 36" O.C.
	27	NEEDLEPOINT HOLLY	<i>Ilex cornuta 'Carissa'</i>	18-24" ht., 15-18" spr., spaced 36" O.C.
	46	COONTIE PALM	<i>Zamia pumila</i>	12" ht., 15" spr., min. 12 leaves, spaced 36" O.C.
GROUNDCOVERS				
		DWAUF ASIAN JASMINE	<i>Trachelospermum asiaticum</i>	1 gal., full plant, spaced 24" O.C.
		AFRICAN BULBINE	<i>Bulbine frutescens 'Halmark'</i>	1 gal., full plant, spaced 18" O.C.
		LIRIOPE 'GREEN GODDESS'	<i>Liriope muscari 'Emerald Goddess'</i>	1 gal., full plant, spaced 24" O.C.
		ANNUALS		select for seasonal availability, coordinate selection with owner
SOD	22,049 sq ft	CENTPEDE	<i>Eremochloa ophiuroides</i>	solid sod where shown

IRRIGATION NOTES:
 1. THE OWNER SHALL PROVIDE AN IRRIGATION DESIGN TO THE CITY OF TALLAHASSEE GROWTH MANAGEMENT DEPARTMENT FOR APPROVAL PRIOR TO THE COMMENCEMENT OF CONSTRUCTION ACTIVITIES. THE OWNER IS REQUIRED TO PROVIDE AN AUTOMATIC IRRIGATION SYSTEM THAT WILL PROVIDE FULL COVERAGE TO ALL EXISTING AND PROPOSED LANDSCAPING PRIOR TO COMPLETION OF CONSTRUCTION ACTIVITIES.
 2. CONTRACTOR SHALL PROVIDE IRRIGATION PLAN TO ENGINEER FOR APPROVAL PRIOR TO CONSTRUCTION. THE PURPOSE OF THE REVIEW WILL BE TO DETERMINE IMPACT TO EXISTING VEGETATION.

LANDSCAPE NOTES:
 1. TREES PLANTED IN RIGHT OF WAY SHALL NOT OBSTRUCT THE TRAFFIC VIEW FROM ENTRANCE.
 2. TALL GROWING TREES SHALL BE PLANTED SUCH THAT UPON REACHING MATURITY THE BRANCHES WILL NOT INTERFERE WITH OVERHEAD ELECTRIC FACILITIES. IN ADDITION, LANDSCAPING WITHIN TWENTY FEET OF OVERHEAD ELECTRIC FACILITIES SHALL BE OF A SPECIES THAT REACHES A MAXIMUM HEIGHT OF FIFTEEN FEET OR LESS.
 3. THE OWNER MUST ACCEPT RESPONSIBILITY FOR MAINTAINING ALL LANDSCAPING REQUIRED BY THE ENVIRONMENTAL MANAGEMENT PERMIT IN PERPETUITY.
 4. CLEARANCES OF 7.5' SHALL BE MAINTAINED TO THE FRONT AND SIDES AND 4' TO THE REAR OF ALL FIRE APPLIANCES (I.E. HYDRANT, BACKFLOW, POST INDICATOR VALVES, FIRE DEPARTMENT CONNECTIONS).
 5. ALL TREES ARE TO BE PLANTED THREE (3) FEET AWAY FROM ALL IMPERVIOUS AREAS.
 6. ANY UNDERGROUND UTILITIES IN CONTACT WITH PROPOSED PLANTINGS, TREE PLACEMENT SHALL BE A MINIMUM OF 10 FEET FROM UNDERGROUND UTILITY AND A DEEPROOT UB 24-2 ROOT BARRIER (OR APPROVED EQUAL) OF TWO FEET DEEP SHALL BE INSTALLED PER SECTION 5-85(M) (14).
 7. AN UNOBSTRUCTED CROSS VISIBILITY BETWEEN TWO AND TEN FEET ABOVE THE CENTERLINE OF THE PUBLIC RIGHT OF WAY SHALL BE MAINTAINED WITHIN THE SIGHT TRIANGLE.
 8. TREES HAVING LIMBS AND FOLIAGE TRIMMED SO THAT THE CROSS VISIBILITY WITHIN THE SIGHT TRIANGLE IS NOT OBSCURED SHALL BE ALLOWED TO OVERHANG THE SIGHT TRIANGLE, PROVIDED THE LOCATION OF ANY TREE DOES NOT CREATE A TRAFFIC HAZARD.

AUGMENT GAPS IN SHRUB SCREENING WITH SHRUBS TO MATCH EXISTING SPECIES, SIZE, AND SPACING

AUGMENT GAPS IN SHRUB SCREENING WITH SHRUBS TO MATCH EXISTING SPECIES, SIZE, AND SPACING

NO.	DATE	DESCRIPTION	REVISIONS
1	11/01/12	REVISED PLANTING SCHEDULE, SOD LOCATE, MISC. REVISIONS	

DESIGNED BY: **S.R.W.**
 DRAWN BY: **S.R.W.**
 CHECKED BY: **S.K.M.**
 SCALE: **1" = 40'**

GENESIS GROUP
 FROM VISION TO REALITY
 GGI, LLC dba GENESIS GROUP
 2507 CALLAWAY ROAD, SUITE 100
 TALLAHASSEE, FLORIDA 32303
 (850) 224-4400 (850) 681-3600 FAX
 www.GenesisGroup.com

FL CA 00009660
 FL LB 0006816
 FL LC 26000202

PREPARED FOR
LEON COUNTY FACILITIES MANAGEMENT

PROJECT NAME
HUNTINGTON OAKS SITE REDEVELOPMENT

SHEET TITLE
LANDSCAPE PLAN

PROJECT NUMBER
2735-006

DATE
08/28/12

SHEET NUMBER
8

Joseph C. Petrich

November 1, 2012 (12:56:40 EST)
 C:\TEMP\ACR\BLSL_58860_2735-006_LAYOUT (LANDSCAPE).DWG

LANDSCAPE SPECIFICATIONS

MATERIALS:

- PLANTING SOIL BACKFILL MIX: TREE PITS, SHRUBS AND GROUNDCOVERS: MIX 50% EXISTING TOPSOIL TO 50% SOIL ADMIXTURE COMPRISED OF 1/3 PARTS DECOMPOSED PINE BARK OR PEAT MOSS, 1/3 PARTS COW MANURE, AND 1/3 PARTS IMPORTED TOPSOIL AND SOIL AMENDMENTS AS REQUIRED TO BRING THE PH TO BETWEEN 5.5 TO 6.5. ALTERNATE PLANTING SOIL BACKFILL MIXTURE: MIX 50% EXISTING TOPSOIL AND 50% FLORIDA PUCK AND SOIL AMENDMENT AS REQUIRED TO BRING PH TO BETWEEN 5.5 AND 6.5.
- TOP SOIL SHALL BE DEFINED AS THE UPPER 4" TO 6" OF NATURALLY OCCURRING SOILS SUITABLE FOR AGRICULTURAL PRODUCTION AND ARE WITHOUT DRAINAGE LIMITATIONS. IMPORT TOPSOIL FROM OFF-SITE SOURCES IF REQUIRED. OBTAIN TOPSOIL FROM NATURALLY WELL-DRAINED SITES WHERE TOPSOIL OCCURS AT LEAST 4" DEEP. UNDER NO CIRCUMSTANCES SHOULD TOPSOIL BE OBTAINED FROM BODS OR MARSHES.
- PLANTING BED AND TREE MULCH: PINE STRAW, CLEAN AND BRIGHT, FREE OF WEEDS, STICKS, AND OTHER DEBRIS. PROVIDE FOR 2-1/2" LAYER, AFTER SETTLING.
- BOD: (MATCH EXISTING SITE BOD SPECIES)
- SEEDING: QUICK GROWING / TEMPORARY COVER
MARCH-APRIL PLANTING: ANNUAL RYEGRASS
MAY PLANTING: BROWN TOP MILLET
JUNE-AUGUST PLANTING: MIX 50% RYE GRAIN AND 50% WINTER WHEAT
SEPTEMBER-OCTOBER PLANTING: ANNUAL RYEGRASS
- FERTILIZER: FOR PLANT BEDS USE 8-8-8 RATIO, AND FOR LAWN AREAS USE 16-4-8 RATIO, EACH WITH AT LEAST 25% OF THE NITROGEN IN A WATER INSOLUBLE ORGANIC FORM.
- TREE GUYING: STRAPS SHALL BE MINIMUM 1" WIDE NYLON OR POLYPROPYLENE. ALL WOOD STAKES SHALL BE LOCATED BEYOND THE EDGE OF THE ROOT BALL.

SUBMITTALS:

- BOD CERTIFICATE FROM GROWER
- SAMPLE OF PREPARED SOIL BACKFILL MIX (1/2 CU. FOOT)
- SOIL TEST REPORT FOR pH WITH RECOMMENDATIONS FOR pH ADJUSTMENT (ALL LANDSCAPE PLANTING AREAS AND PLANTING BACKFILL MIX)
- WRITTEN PLANT GUARANTEE.

EXECUTION:

- PERFORM ALL WORK AS SHOWN AND IN STRICT ACCORDANCE WITH SOUND HORTICULTURAL PRACTICE.
- PLANTING PREPARATION:
A. INCORPORATE BACKFILL MIX AS SPECIFIED AND AS SHOWN ON DETAILS AND DRAWINGS.
B. ADJUST SOIL AND BACKFILL PH TO 5.5 AND 6.5.
C. ADJUST SOIL PH TO 5.5-6.5 AS RECOMMENDED BY THE SOIL TEST. USE ALUMINUM SULFATE OR IRON SULFATE TO LOWER THE PH AND USE HYDRATED LIME OR DOLOMITE TO RAISE THE PH.
- PLACE ALL PLANT MATERIALS WHERE SHOWN ON DESIGN PLANS.
- AFTER PLANTS ARE INSTALLED EACH TREE SHALL HAVE 1/4 LBS. OF 8-8-8 FERTILIZER APPLIED PER CALIPER INCH.
- ALL TREES SHALL BE STAKED AND GUYED AS SHOWN TO MAINTAIN VERTICAL ALIGNMENT.
- APPLY 2-1/2 INCHES OF MULCH (AFTER SETTLING) TO ALL TREES, SHRUB AND GROUNDCOVER BEDS. REDUCE MULCHING TO 1-1/2" DEPTH IN ANNUAL PLANTING AREAS.
- ALL TREES PLACED IN LAWN AREAS SHALL UTILIZE A 3-FOOT DIAMETER CIRCLE OF LANDSCAPE MULCH BENEATH-BOD SHALL BE REMOVED.

GRASSING:

- SOIL PREPARATION:
A. REMOVE STONES OVER 1-1/2" IN DIAMETER, STICKS, ROOTS, RUBBISH AND OTHER EXTRANEIOUS MATTER FROM ALL LAWN AREAS.
B. ADJUST SOIL PH AS RECOMMENDED BY THE SOIL TEST FOR GRASS SPECIES.
C. ROTO-TILL SOIL 4" DEEP AND RAKE LAWN AREAS TO A SMOOTH EVEN SURFACE. IN AREAS TO BE SODDED, ALLOW FOR SOD THICKNESS, PROVIDING A FINISH GRADE 2" BELOW ADJACENT PAVEMENTS.
D. MOISTEN PREPARED LAWN AREAS PRIOR TO PLANTING IF DRY.
- SEEDING:
A. ALL DISTURBED AREAS OF THE PROJECT SITE THAT ARE NOT IDENTIFIED TO BE SODDED SHALL BE SEEDDED.
B. APPLY QUICK GROWING / TEMPORARY SEED UNIFORMLY AT A RATE OF 10 POUNDS PER 1000 SQUARE FEET.
C. RAKE SOIL LIGHTLY TO LOOSEN SURFACE PRIOR TO SEED APPLICATION. COVER SEEDDED AREAS WITH THIN LAYER OF OAT OR WHEAT STRAW AND ROLL LIGHTLY. WATER THOROUGHLY WITH A FINE SPRAY TO ESTABLISH SOIL MOISTURE TO 4" DEPTH. MAINTAIN APPROPRIATE SOIL MOISTURE LEVEL TO OPTIMIZE SEED ESTABLISHMENT.
- SODDING:
A. INSTALL SOD WHERE SHOWN ON DESIGN PLANS.
B. APPLY FERTILIZER OVER PREPARED SOIL IN ALL AREAS TO BE SODDED, EXCEPT SLOPES ADJACENT TO WATER'S EDGE. APPLY MATERIAL AT A RATE OF 6 LBS. PER 1000 SQUARE FEET. SECOND APPLICATION-AS SPECIFIED UNDER LAWN MAINTENANCE AND WARRANTY.
C. LAY SOD WITHIN 36 HOURS OF HARVESTING TIME.
D. LAY SOD IN STRAIGHT, (NOT CURVED) PARALLEL ROWS TO FORM A SOLID MASS WITH TIGHTLY FITTED JOINTS, WITHOUT OVERLAP. STAGGER STRIPS TO OFFSET JOINTS. WORK TOPSOIL INTO MINOR CRACKS.
E. ROLL ENTIRE SODDED AREA WITH A 200 LB. ROLLER.
F. WATER SOD IMMEDIATELY AFTER ROLLING, THEREAFTER WATER SUFFICIENTLY TO KEEP SOIL MOIST TO A DEPTH OF 4" UNTIL ESTABLISHED.

CLEANUP:

- AT THE END OF EACH WORK DAY, REMOVE ALL DEBRIS RESULTING FROM THE WORK, CLEAN PAVED SURFACES AND BARRICADE ALL HAZARDS.
- RESTORE ANY DAMAGED AREAS CAUSED BY THE WORK.

INITIAL INSPECTION AND ACCEPTANCE:

- THE WARRANTY SHALL BEGIN AFTER INITIAL LANDSCAPE INSPECTION AND ACCEPTANCE.
- INSPECTION SHALL BE MADE BY THE OWNER OR OWNER'S REPRESENTATIVE WITHIN ONE WEEK OF WRITTEN NOTIFICATION FROM THE LANDSCAPE CONTRACTOR THAT INSTALLATION IS COMPLETE. PLANTS ARE SUBJECT TO INSPECTION AT ANY TIME.

PLANT GUARANTEE:

- ALL TREES, SHRUBS AND GROUNDCOVERS SHALL BE GUARANTEED BY THE LANDSCAPE CONTRACTOR TO BE HEALTHY, AND IN FLOURISHING CONDITION OF ACTIVE GROWTH FOR A PERIOD OF (1) ONE YEAR FROM INITIAL INSPECTION AND ACCEPTANCE. SOD SHALL BE GUARANTEED TO BE HEALTHY, FREE OF NOXIOUS WEEDS, DISEASE AND INSECT INFESTATION FOR A PERIOD OF SIXTY (60) DAYS FROM THE DATE OF INITIAL ACCEPTANCE.

MAINTENANCE AND WARRANTY:

- BEGIN MAINTENANCE OF LANDSCAPE WORK IMMEDIATELY AFTER EACH AREA IS PLANTED AND CONTINUE FOR THE MAINTENANCE PERIOD SPECIFIED.
- PLANT MAINTENANCE AND WARRANTY:
A. CONTRACTOR SHALL BE RESPONSIBLE FOR WATERING AND MAINTAINING PLANT MATERIAL FOR THE DURATION OF THE ESTABLISHMENT PERIOD.
B. THE ESTABLISHMENT PERIOD FOR PLANT MAINTENANCE AND WARRANTY SHALL BE 365 DAYS AFTER INITIAL ACCEPTANCE.
C. INSPECTIONS WILL BE CONDUCTED ON 90 DAY INTERVALS THROUGHOUT THE ESTABLISHMENT PERIOD TO ASSURE ALL PLANTINGS ARE BEING MAINTAINED IN A CONDITION OF GOOD HEALTH AND ACTIVE GROWTH. ANY DEAD OR DYING PLANTS SHALL BE PROMPTLY REMOVED AND REPLACED WITHIN 2 WEEKS FOLLOWING THE DATE OF INSPECTION. RESET SETTLED PLANTS TO PROPER GRADE AND POSITION AND TIGHTEN OR REPAIR GUY'S AND STAKES AS NECESSARY. RE-MULCH TREES, SHRUBS AND GROUNDCOVER BEDS AS NECESSARY TO MAINTAIN THE SPECIFIED MULCH LAYER THROUGHOUT THE ESTABLISHMENT PERIOD.
- ONE MONTH PRIOR TO THE END OF THE 365 DAY ESTABLISHMENT PERIOD, THE CONTRACTOR SHALL NOTIFY THE OWNER TO COORDINATE A DATE FOR FINAL INSPECTION OF ALL PLANTINGS AS BASIS FOR FINAL ACCEPTANCE.
- LAWN MAINTENANCE AND WARRANTY:
A. MAINTAIN LAWS FOR A MINIMUM PERIOD OF 60 DAYS AFTER INITIAL ACCEPTANCE.
B. WATER LAWN SUFFICIENTLY TO MAINTAIN MOIST SOIL TO A DEPTH OF 4 INCHES UNTIL FINAL ACCEPTANCE.
C. MOW LAWS WHEN SOD IS FIRMLY ROOTED AND TOP GROWTH EXCEEDS 4 INCHES. MOW TO A HEIGHT OF NO LESS THAN 2-1/2 INCHES.
D. FERTILIZE LAWS 6 WEEKS AFTER PLANTING WITH 16-4-8 AT A RATE OF 6 LBS. PER 1000 SQUARE FEET.

REPLACEMENTS AND CONDITIONS:


- REPLACEMENTS FOR TREES, SHRUBS, AND GROUNDCOVERS SHALL BE MADE WITHIN 2 WEEKS FOLLOWING EACH 90 DAY ESTABLISHMENT PERIOD INSPECTION, INCLUDING THE FINAL INSPECTION.
- A REPLACEMENT WILL BE OF THE SAME SIZE AS THE ORIGINAL WITH NO ADDITIONAL SOIL ADDITIVES TO BE USED.
- AFTER INITIAL INSPECTION THE LANDSCAPE CONTRACTOR WILL NOT BE RESPONSIBLE FOR PLANT MATERIAL THAT HAS BEEN DAMAGED BY VANDALISM, FIRE, THEFT, RELOCATION OR OTHER ACTIVITIES BEYOND THE LANDSCAPE CONTRACTOR'S CONTROL.
- THE LANDSCAPE CONTRACTOR WILL NOT BE RESPONSIBLE FOR PLANT LOSSES DUE TO ABNORMAL WEATHER CONDITIONS SUCH AS FLOODS, EXCESSIVE WIND DAMAGE OR SEVERE FREEZING.

FINAL INSPECTION AND ACCEPTANCE:


- FINAL INSPECTION: THE LANDSCAPE CONTRACTOR WILL CONDUCT A FINAL INSPECTION WITH THE OWNER OR OWNER'S REPRESENTATIVE AT THE END OF THE ESTABLISHMENT PERIOD FOR LAWS AND PLANT MATERIALS.
- PLANT MATERIALS:
A. REPLACE ANY MATERIAL NOT IN HEALTHY CONDITION OR WHICH FAILS TO MEET SPECIFICATIONS.
B. DECIDUOUS MATERIAL WILL BE GUARANTEED TO BREAK DORMANCY IF PLANTED IN DORMANT SEASON.
- LAWS:
A. AT THE TIME OF FINAL INSPECTION, SODDED LAWS WILL BE ACCEPTABLE PROVIDED A HEALTHY, WELL-ROOTED, EVEN-COLORED, LAWN IS ESTABLISHED, FREE OF WEEDS, DISEASE AND INSECT INFESTATION. THERE SHALL BE NO OPEN JOINTS OR BARE AREAS.
B. SEEDDED AREAS SHALL EXHIBIT NO LESS THAN 85% COVERAGE, UNIFORMLY THROUGHOUT. GRASS STANDS SHALL BE WELL ROOTED, EVEN-COLORED AND FREE OF WEEDS, DISEASE AND INSECT INFESTATION.

PLANT INSTALLATION NOTES


- Contractor shall verify location of utilities, existing trees and vegetation prior to commencement of the plant installation.
- Contractor shall anticipate the possibility of the Landscape Architect adjusting the locations of certain plants and trees in the field.
- All trees and shrubs shall be of the sizes as called for in the plant materials schedule. Any plant materials as determined by the Landscape Architect as not meeting the sizes and quality as called for shall be removed from the site.
- All plant materials shall be equivalent to Florida #1 or better as outlined by GRADES AND STANDARDS FOR NURSERY PLANTS, Division of Plant Industry, Florida Dept. of Agriculture and Consumer Services.
- If quantities differ between the plan and schedule, those on the schedule shall govern. The contractor shall verify that the quantities indicated will provide the coverage as specified and report any discrepancies at the time of bidding to the Landscape Architect.
- All shrub material shall be planted in staggered rows, spaced on center (O.C.) as specified, unless otherwise shown on design plans.
- The Contractor shall notify the Landscape Architect of any conditions that may adversely affect planting operations immediately upon such findings.
- Work includes transplanting (1) 6" to 8" Live Oak from existing parking area to new landscape plan location. Landscape Contractor shall submit detail design for staking, including protective flagging of guying system for approval prior to beginning work.




A TREE PLANTING (MULTI-TRUNK) N.T.S.




B TYPICAL TREE PLANTING AND GUYING 1" - 3 1/2" Caliper Tree Planting N.T.S.



C TYPICAL SHRUB PLANTING N.T.S.



D TYPICAL GROUNDCOVER PLANTING N.T.S.



E TYPICAL TREE PLANTING AND GUYING Trees 4" and Greater N.T.S.

November 1, 2013 (13-56-40 EST)
 C:\TEMP\ACR\BLSH_58860_27355-006_LAYOUT (LANDSCAPE).DWG

DESIGNED BY:	S.R.W.		
DRAWN BY:	S.R.W.		
CHECKED BY:	S.K.M.		
SCALE:	N.T.S.		
NO.	DATE	DESCRIPTION	REVISIONS
1	11/01/12	ADDED DETAILS AND SPECIFICATIONS SHEET	

DESIGNED BY: **S.R.W.**
 DRAWN BY: **S.R.W.**
 CHECKED BY: **S.K.M.**
 SCALE: **N.T.S.**

GENESIS GROUP
 FROM VISION TO REALITY
 GGI, LLC dba GENESIS GROUP (850) 224-4400 (850) 681-3600 FAX
 2507 CALLAWAY ROAD, SUITE 100 www.GenesisGroup.com
 TALLAHASSEE, FLORIDA 32303

FL CA 00009660
 FL LB 0006816
 FL LC 26000202

PREPARED FOR
LEON COUNTY FACILITIES MANAGEMENT

PROJECT NAME
HUNTINGTON OAKS SITE REDEVELOPMENT

SHEET TITLE
LANDSCAPE DETAILS AND SPECIFICATIONS

SEAL
 PROJECT NUMBER
2735-006
 DATE
08/28/12
 SHEET NUMBER
9

Joseph C. Petrich

SHEET TITLE
LANDSCAPE DETAILS AND SPECIFICATIONS

SEAL
 PROJECT NUMBER
2735-006
 DATE
08/28/12
 SHEET NUMBER
9

Joseph C. Petrich