



DEPARTMENT OF THE ARMY
JACKSONVILLE DISTRICT CORPS OF ENGINEERS
1002 WEST 23RD STREET, SUITE 350
PANAMA CITY, FLORIDA 32405

March 26, 2013

REPLY TO
ATTENTION OF

North Permits Branch
Panama City Section
SAJ-2012-03085(NW-MMW)

Leon County Public Works
2280 Miccosukee Road
Tallahassee, Florida 32308

Received
04/01/13 12:49:51
Leon County Public Works

Dear Applicant:

Your application for a Department of the Army permit received on December 26, 2012, has been assigned number SAJ-2012-03085 (NW-MMW). A review of the information and drawings provided shows the proposed work is floodplain enhancement for the purpose of alleviating local flooding. A total of 0.20 acre of jurisdictional waters will be permanently impacted, while 4.24 acres of jurisdictional waters and wetlands will be temporarily impacted. Temporary impacts consist of excavation and grading of existing ponds and ditches within the existing 'greenway', for the purpose of increasing the storage capacity. Elevations are designed in such a way that standing water should only be present during heavy rain events. The project includes creation of 5.9 acres of wetlands, and a total of 9 acres of wetlands will be enhanced through planting of appropriate wetland species. The project is located in the Killearn Lakes neighborhood, between Bull Headley Road and Chadwick Way, in Tallahassee, Leon County, Florida.

Your project, as depicted on the enclosed drawings, is authorized by Nationwide Permit (NWP) Number 43. In addition, project specific conditions have been enclosed. This verification is valid until March 18, 2017. Please access the U.S. Army Corps of Engineers' (Corps) Jacksonville District's Regulatory webpage to access web links to view the Final Nationwide Permits, Federal Register Vol. 77, dated February 21, 2012, specifically pages 10270 – 10290, the Corrections to the Final Nationwide Permits, Federal Register 77, March 19, 2012, and the List of Regional Conditions. The website address is as follows:

<http://www.saj.usace.army.mil/Missions/Regulatory.aspx>

Please be aware this web address is case sensitive and should be entered as it appears above. Once there you will need to click on "Source Book"; and, then click on "Nationwide Permits." These files contain the description of the Nationwide Permit authorization, the Nationwide Permit general conditions, and the regional conditions, which apply specifically to this verification for NWP 43. Enclosed is a list of the six General Conditions, which apply to all Department of the Army authorizations. You must comply with all of the special and general conditions and any project specific condition of this authorization or you may be subject to enforcement action. In the event you have not completed construction of your project within the specified time limit, a separate application or re-verification may be required.

The following special conditions are included with this verification:

1. **Reporting Address:** All reports, documentation and correspondence required by the conditions of this permit shall be submitted to the following address: U.S. Army Corps of Engineers, Regulatory Division, Enforcement Section, 2833 NW 41st Street, Unit 130, Gainesville, Florida 32606. The Permittee shall reference this permit number, SAJ-2012-03085(NW-MMW), on all submittals.

2. **Erosion Control:** Prior to the initiation of any work authorized by this permit, the Permittee shall install erosion control measures along the perimeter of all work areas to prevent the displacement of fill material outside the work area. Immediately after completion of the final grading of the land surface, all slopes, land surfaces, and filled areas shall be stabilized using sod, degradable mats, barriers, or a combination of similar stabilizing materials to prevent erosion. The erosion control measures shall remain in place and be maintained until all authorized work has been completed and the site has been stabilized.

3. **Cultural Resources/Historic Properties:**

a. No structure or work shall adversely affect impact or disturb properties listed in the National Register of Historic Places (NRHP) or those eligible for inclusion in the NRHP.

b. If during the ground disturbing activities and construction work within the permit area, there are archaeological/cultural materials encountered which were not the subject of a previous cultural resources assessment survey (and which shall include, but not be limited to: pottery, modified shell, flora, fauna, human remains, ceramics, stone tools or metal implements, dugout canoes, evidence of structures or any other physical remains that could be associated with Native American cultures or early colonial or American settlement), the Permittee shall immediately stop all work and ground-disturbing activities within a 100-meter diameter of the discovery and notify the Corps within the same business day (8 hours). The Corps shall then notify the Florida State Historic Preservation Officer (SHPO) and the appropriate Tribal Historic Preservation Officer(s) (THPO(s)) to assess the significance of the discovery and devise appropriate actions.

c. Additional cultural resources assessments may be required of the permit area in the case of unanticipated discoveries as referenced in accordance with the above Special Condition ; and if deemed necessary by the SHPO, THPO(s), or Corps, in accordance with 36 CFR 800 or 33 CFR 325, Appendix C (5). Based, on the circumstances of the discovery, equity to all parties, and considerations of the public interest, the Corps may modify, suspend or revoke the permit in accordance with 33 CFR Part 325.7. Such activity shall not resume on non-federal lands without written authorization from the SHPO for finds under his or her jurisdiction, and from the Corps.

d. In the unlikely event that unmarked human remains are identified on non-federal lands, they will be treated in accordance with Section 872.05 Florida Statutes. All work and ground disturbing activities within a 100-meter diameter of the unmarked human remains shall immediately cease and the Permittee shall immediately notify the medical examiner, Corps, and State Archeologist within the same business day (8-hours). The Corps shall then notify the appropriate SHPO and THPO(s). Based, on the circumstances of the discovery, equity to all parties, and considerations of the public interest, the Corps may modify, suspend or revoke the permit in accordance with 33 CFR Part 325.7. Such activity shall not resume without written authorization from the State Archeologist and from the Corps.

4. Compensatory Mitigation: Within 6 months from the date of initiating the authorized work the Permittee shall complete the following mitigation objectives in accordance with the attached drawings labeled 14 through 17 of 17.

a. Onsite Mitigation

(1) Wetland Enhancement: Enhance a total of 9 acres of wetlands by planting native species within the upstream and downstream storage areas, the channel, and associated buffer areas, in accordance with the planting plan on sheets 14 through 17 of 17.

5. Performance Standards: To meet the objectives of the approved planting plan, the Permittee shall achieve the following performance standards:

a. At least 80 percent cover by appropriate wetland species (i.e., FAC or wetter).

b. Cover of Category I and II invasive exotic plant species, pursuant to the most current list established by the Florida Exotic Pest Plant Council at <http://www.fleppc.org>, and the nuisance species, dogfennel (*Eupatorium capillifolium*), Bermudagrass (*Cynodon* spp.), Bahiagrass (*Paspalum notatum*), and cattail (*Typha* spp.) shall total less than 5 percent.

c. Less than 20 percent mortality of planted wetland species.

The Permittee shall achieve the above performance standards by the end of the 5-year monitoring period, with no maintenance during the 5th year of monitoring. In the event that the above performance standards have not been achieved, the Permittee shall undertake a remediation program approved by the Corps in accordance with the **Remediation** Special Condition of this permit.

6. Monitoring and Reporting Timeframes: To show compliance with the performance standards the Permittee shall complete the following:

a. Perform a time-zero monitoring event of the wetland mitigation area(s) within 60 days of completion of the compensatory mitigation objectives identified in the **Compensatory Mitigation** Special Condition of this permit.

b. Submit the time-zero report to the Corps within 60 days of completion of the monitoring event. The report will include at least one paragraph depicting baseline conditions of the mitigation site(s) prior to initiation of the compensatory mitigation objectives and a detailed plan view drawing of all created, enhanced and/or restored mitigation areas.

c. Subsequent to completion of the compensatory mitigation objectives, perform semi-annual monitoring of the wetland mitigation areas for the first 3 years and annual monitoring thereafter for a total of no less than 5 years of monitoring.

d. Submit annual monitoring reports to the Corps within 60 days of completion of the monitoring event. Semi-annual monitoring will be combined into one annual monitoring report.

e. Monitor the mitigation area(s) and submit annual monitoring reports to the Corps until released in accordance with the **Mitigation Release** Special Condition of this permit.

7. **Reporting Format:** Annual monitoring reports shall follow a 10-page maximum report format for assessing compensatory mitigation sites. The Permittee shall submit all documentation to the Corps on 8½-inch by 11-inch paper, and include the following:

a. Project Overview (1 Page):

(1) Department of the Army Permit Number

(2) Name and contact information of Permittee and consultant

(3) Name of party responsible for conducting the monitoring and the date(s) the inspection was conducted

(4) A brief paragraph describing the purpose of the approved project, acreage and type of aquatic resources impacted, and mitigation acreage and type of aquatic resources authorized to compensate for the aquatic impacts.

(5) Written description of the location, any identifiable landmarks of the compensatory mitigation project including information to locate the site perimeter(s), and coordinates of the mitigation site (expressed as latitude, longitudes, UTM's, state plane coordinate system, etc.).

- (6) Dates compensatory mitigation commenced and/or was completed
- (7) Short statement on whether the performance standards are being met
- (8) Dates of any recent corrective or maintenance activities conducted since the previous report submission
- (9) Specific recommendations for any additional corrective or remedial actions.

b. Requirements (1 page): List the monitoring requirements and performance standards, as specified in the approved mitigation plan and special conditions of this permit, and evaluate whether the compensatory mitigation project site is successfully achieving the approved performance standards or trending towards success. A table is a recommended option for comparing the performance standards to the conditions and status of the developing mitigation site.

c. Summary Data (maximum of 4 pages): Summary data should be provided to substantiate the success and/or potential challenges associated with the compensatory mitigation project. Photo documentation may be provided to support the findings and recommendations referenced in the monitoring report and to assist the PM in assessing whether the compensatory mitigation project is meeting applicable performance standards for that monitoring period. Submitted photos should be formatted to print on a standard 8 ½" x 11" piece of paper, dated, and clearly labeled with the direction from which the photo was taken. The photo location points should also be identified on the appropriate maps.

d. Maps and Plans (maximum of 3 pages): Maps shall be provided to show the location of the compensatory mitigation site relative to other landscape features, habitat types, locations of photographic reference points, transects, sampling data points, and/or other features pertinent to the mitigation plan. In addition, the submitted maps and plans should clearly delineate the mitigation site perimeter(s). Each map or diagram should be formatted to print on a standard 8 ½" x 11" piece of paper and include a legend and the location of any photos submitted for review. As-built plans may be included.

e. Conclusions (1 page): A general statement shall be included that describes the conditions of the compensatory mitigation project. If performance standards are not being met, a brief explanation of the difficulties and potential remedial actions proposed by the Permittee or sponsor, including a timetable, shall be provided. The District Commander will ultimately determine if the mitigation site is successful for a given monitoring period.

8. **Remediation:** If the compensatory mitigation fails to meet the performance standards 5 years after completion of the compensatory mitigation objectives, the compensatory mitigation will be deemed unsuccessful. Within 60 days of notification by the Corps that the compensatory mitigation is unsuccessful, the Permittee shall submit to the Corps an alternate compensatory mitigation proposal sufficient to create the functional lift required under this permit. The alternate compensatory mitigation proposal may be required to include additional mitigation to compensate for the temporal loss of wetland function associated with the unsuccessful compensatory mitigation activities. The Corps reserves the right to fully evaluate, amend, and approve or reject the alternate compensatory mitigation proposal. Within 120 days of Corps approval, the Permittee will complete the alternate compensatory mitigation proposal.

9. **Mitigation Release:** The Permittee's responsibility to complete the required compensatory mitigation, as set forth in the **Compensatory Mitigation** Special Condition of this permit will not be considered fulfilled until mitigation success has been demonstrated and written verification has been provided by the Corps. A mitigation area which has been released will require no further monitoring or reporting by the Permittee; however the Permittee, Successors and subsequent Transferees remain perpetually responsible to ensure that the mitigation area(s) remain in a condition appropriate to offset the authorized impacts in accordance with General Condition 2 of this permit.

10. **Self-Certification:** Within 60 days of completion of the authorized work or at the expiration of the construction authorization of this permit, whichever occurs first, the Permittee shall complete the attached "Self-Certification Statement of Compliance" form (**Attachment #1**) and submit to the Corps. In the event that the completed work deviates, in any manner, from the authorized work, the Permittee shall describe, on the Self-Certification Form, the deviations between the work authorized by the permit and the work as constructed. Please note that the description of any deviations on the Self-Certification Form does not constitute approval of any deviations by the Corps.

11. **Fill Material:** The Permittee shall use only clean fill material for this project. The fill material shall be free from items such as trash, debris, automotive parts, asphalt, construction materials, concrete block with exposed reinforcement bars, and soils contaminated with any toxic substance, in toxic amounts in accordance with Section 307 of the Clean Water Act.

12. **Regulatory Agency Changes:** Should any other regulatory agency require changes to the work authorized or obligated by this permit, the Permittee is advised that a modification to this permit instrument is required prior to initiation of those changes. It is the Permittee's responsibility to request a modification of this permit from the Panama City Regulatory Office.

This letter of authorization does not give absolute Federal authority to perform the work as specified on your application. The proposed work may be subject to local building restrictions mandated by the National Flood Insurance Program. You should contact your local office that issues building permits to determine if your site is located in a flood-prone area, and if you must comply with the local building requirements mandated by the National Flood Insurance Program.

If you are unable to access the internet or require a hardcopy of any of the conditions, limitations, or expiration date for the above referenced NWP, please contact Melinda Witgenstein by telephone at (850) 763-0717, extension 24.

Thank you for your cooperation with our permit program. The Corps Jacksonville District Regulatory Division is committed to improving service to our customers. We strive to perform our duty in a friendly and timely manner while working to preserve our environment. We invite you to take a few minutes to visit <http://per2.nwp.usace.army.mil/survey.html> and complete our automated Customer Service Survey. Your input is appreciated – favorable or otherwise. Again, please be aware this web address is case sensitive and should be entered as it appears above.

Sincerely,



Melinda M. Witgenstein
Project Manager

Enclosures

Copy Furnished: CDM Smith

GENERAL CONDITIONS

33 CFR PART 320-330

PUBLISHED FEDERAL REGISTER DATED 13 NOVEMBER 1986

1. The time limit for completing the work authorized ends on **date identified in the letter**. If you find that you need more time to complete the authorized activity, submit your request for a time extension to this office for consideration at least one month before the above date is reached.
2. You must maintain the activity authorized by this permit in good condition and in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity, although you may make a good faith transfer to a third party in compliance with General Condition 4 below. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the area.
3. If you discover any previously unknown historic or archeological remains while accomplishing the activity authorized by this permit, you must immediately notify this office of what you have found. We will initiate the Federal and state coordination required to determine if the remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.
4. If you sell the property associated with this permit you must obtain the signature of the new owner in the space provided and forward a copy of the permit to this office to validate the transfer of this authorization.
5. If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit. For your convenience, a copy of the certification is attached if it contains such conditions.
6. You must allow a representative from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

SELF-CERTIFICATION STATEMENT OF COMPLIANCE

Permit Number: NW-43 Application Number: SAJ-2012-03085 (NW-MMW)

Permittee's Name & Address (please print or type): _____

Telephone Number: _____

Location of the Work: _____

Date Work Started: _____ Date Work Completed: _____

Description of the Work (e.g., bank stabilization, residential or commercial filling, docks, dredging, etc.): _____

Acreage or Square Feet of Impacts to Waters of the United States: _____

Describe Mitigation completed (if applicable): _____

Describe any Deviations from Permit (attach drawing(s) depicting the deviations): _____

I certify that all work, and mitigation (if applicable) was done in accordance with the limitations and conditions as described in the permit. Any deviations as described above are depicted on the attached drawing(s).

Signature of Permittee

Date

DEPARTMENT OF THE ARMY PERMIT TRANSFER REQUEST

PERMIT NUMBER: SAJ-2012-03085(NW-MMW)

When the structures or work authorized by this permit are still in existence at the time the property is transferred, the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. Although the construction period for works authorized by Department of the Army permits is finite, the permit itself, with its limitations, does not expire.

To validate the transfer of this permit and the associated responsibilities associated with compliance with its terms and conditions, have the transferee sign and date below and mail to the U.S. Army Corps of Engineers, Enforcement Section, Post Office Box 4970, Jacksonville, FL 32232-0019.

(TRANSFEREE-SIGNATURE)

(SUBDIVISION)

(DATE)

(LOT)

(BLOCK)

(NAME-PRINTED)

(STREET ADDRESS)

(MAILING ADDRESS)

(CITY, STATE, ZIP CODE)

