Daniel Ferreyra

* EXHIBIT 1 * Dated: 2/22/2010

Printed: Tuesday, March 23, 2010 03:37 PM

Arranged By: Section (All Sections)

Priorities: All Priorities

Cost: No Text: Yes Subtotals: No Summary: No Notes: Yes OP Method: At End

CUSTOMER INFORMATION

Daniel Ferreyra
Project Address
3347 Wood Hill Dr.
Tallahassee, FL 32310
Customer Address
3347 Wood Hill Dr.
Tallahassee, FL 32303

Home Phone: 562-8701 Work Phone: 545-2548-c

PREPARED BY

Lon Twyman HOUSING & HUMAN SERVICES, LEON COUNTY

918 Railroad Avenue Tallahassee, Florida 850-606-1900

* NOTE *

THE CUSTOMER AND CONTRACTOR MUST SIGN THE BOTTOM OF EACH PAGE ONLY IF

1) THIS WORK WRITE-UP BECOMES PART OF A CONSTRUCTION CONTRACT

2) THE UNDERSIGNED CUSTOMER AND CONTRACTOR HAVE REVIEWED, APPROVED,
AND AGREED TO THE WORK AND PRICES DESCRIBED IN THIS WORK WRITE-UP

Customer:	Contractor:
eustoniei:	

Daniel Ferreyra WWU: Daniel Ferreyra

Site: 3347 Wood Hill Dr.

Dated: 2/22/2010 * EXHIBIT 1 *

	Quantity	UOM	Cost
GENERAL REQUIREMENTS			
01.0001 P1 RELOCATION NOT REQUIRED Owner and furnishing will remain in the structure during the rehabilitation process. Contractor shall comply with Section 01.0325 of these Housing Rehabilitation Specifications. >>> GENERAL REQUIREMENTS <<<	1	EA	
01.0025 P1 PERMITS AND LICENSES Contractor shall obtain, pay for and post on site all permits and licenses necessary to complete this project. Contractor and subcontractors must have current licenses require by the State, County and City. >>> GENERAL REQUIREMENTS <<<	1		
01.0050 P1 CODE COMPLIANCE All materials and methods of construction related to work performed on this project must comply with locally adopted code requirements. >>> GENERAL REQUIREMENTS <<<	1		
01.0075 P1 INSURANCE REQUIREMENTS The Contractor shall maintain such insurance as will protect him from claims for damages for personal injury, including death, which may arise from work performed on this project, whether such work be by himself or by any subcontactor or anyone directly or indirectly employed by either of them. Contractor shall present Program Administrator with certificate of insurance evidencing comprehensive public liability insurance coverage of not less than \$100,000/\$300,000 in the event of bodily injury including death, and \$50,000/\$100,000 in the event of property damage arising out to the work performed by the Contractor. Contractor shall also carry Worker's Compensation insurance if required by State law, Program Administrator or homeowner. >>>> GENERAL REQUIREMENTS <<<	1		
O1.0100 P1 JOB SITE WORK WRITE-UP A Job Site Work Write-Up shall be posted near the front door. This Work Write-Up shall be used by all code enforcement officials and other interested parties to review scope of work and work being performed on project. >>> GENERAL REQUIREMENTS <<<	1		
01.0125 P1 PLACE A JOB SIGN IN FRONT YARD Contractor must securely position a project sign in the front yard and within view of the street. It is the Contractor's responsibility to pick a sign up from, and return it to, the Program Administrator. Signs to be returned in good condition. >>> GENERAL REQUIREMENTS <<<	1		
01.0150 P1 CONTRACTOR TO VERIFY MEASUREMENTS, SIZES & QUANTITIES All measurements, sizes and quantities in this Work Write-Up are APPROXIMATE.			

Customer: _____ Contractor: _____

Daniel Ferreyra WWU: Daniel Ferreyra

Site: 3347 Wood Hill Dr.

ocation / Work Description	Quantity	UOM !	Cos
The Contractor is responsible for verifying exact measurements, sizes and quantities	1		
prior to submitting a quote.	!		
>>> GENERAL REQUIREMENTS <<<	1		
01.0175 P1 COST ALLOWANCES	 		
When specifications in this Work Write-Up refer to a cost "allowance", the Contractor is	l er		
to permit the Homeowner to select the product to be installed, providing the pre-tax cost		I I	
of the product does not exceed the allowance. The product selected must meet the	1	i	
quality standards specified in this Work Write-Up.	!		
>>> GENERAL REQUIREMENTS <<<	; 1 !		
01.0200 P1 WORKMANSHIP & MATERIAL STANDARDS	 		
Contractor to perform work specified in Work Write- Up in a high-quality	I I		
good-workmanlike manner using specified materials or approved equals. Materials	I I	I I	
must also 1) be high quality, 2) be installed in accordance with manufacturer's specs and	ļ	l I I I	
3) meet requirements of current codes.	I	i i	
>>> GENERAL REQUIREMENTS <<<	1		
01.0225 P1 GENERAL WARRANTY	1 		
Materials installed and work performed shall have a one year Contractor warranty from	I I		
the date of final acceptance of the work by the Homeowner and Program Administrator.			
Homeowner whall be provided copies of manufacturer's material warranties and contact			
	.l I		
information. Refer to project Contract for specific requirements concerning warranty.	1		
>>> GENERAL REQUIREMENTS <<<	1 !		
01.0250 P1 SCHEDULING WORK	! 		
Contractor to schedule work between 8:00am and 6:00pm Monday through Friday.	I I		
Requests to work before or after these hours and on weekends must be approved by the	I I		
Homeowner. Work requiring a Compliance Inspection by the Program Administrator	1 1		
can ONLY be performed between 8:00am and 5:00pm Monday through Friday. The	I I		
Contractor is responsible for scheduling and coordinating subcontractor work.	I I		
>>> GENERAL REQUIREMENTS <<<	1		
· ·	1 1		
01.0275 P1 COMPLIANCE INSPECTIONS	1 1		
Contractor to call Program Administrator for inspection of all work that will be	1 1		
concealed from view following completion of work on that item. For example, these	1 1		
inspections frequently include, but are not limited to, 1) inspection of footings, 2)	1 1		
inspection of roof sheathing prior to installation of new felt and shingles and 3)	1 1		
inspection of repaired floors prior to installation of new sub- floor, underlayment and	I I		
floor coverings. Check each spec to see if a Compliance Inspection is required. Work	I I		
that has been concealed without a Compliance Inspection may result in payment delays	I I		
or denials!	I I	! ! ! !	
>>> GENERAL REQUIREMENTS <<<	<u> </u>		
/// OLINIA REQUIREMENTO ///	1 1		
	I I		
	I	1	

Customer: _____ Contractor: _____

Dated: 2/22/2010 * EXHIBIT 1 *

Daniel Ferreyra WWU: Daniel Ferreyra Site: 3347 Wood Hill Dr.

Dated: 2/22/2010 * EXHIBIT 1 *

Location / Work Description Q	uantity UOM	Cost
01.0300 P1 PROGRESS AND FINAL PAYMENT INSPECTIONS Contractor must submit to Program Administrator a payment request signed by the Homeowner approving payment. This request must be submitted in person to Program Administrator at least one day ahead of desired inspection date. Inspections will not be scheduled by phone. Payment inspections will be scheduled on a first-requested first-scheduled basis. >>> GENERAL REQUIREMENTS <<<	1	
01.0325 P1 PROTECT HOUSE CONTENTS FROM DAMAGE DURING WORK Contractor shall take steps to protect house and contents from damage during project. Contractor is advised to use drop cloths to protect furniture, appliances, entertainment systems and other house contents and components. Contractor shall move furniture and appliances out of and back into work areas once work is complete. Contractor not to leave furniture, appliances, clothing or other house contents unprotected outside house during job. >>> GENERAL REQUIREMENTS <<<	1	
01.0350 P1 REPAIR DAMAGE CAUSED TO PROPERTY DURING WORK Contractor responsible for professionally repairing or replacing building and site components damaged as a result of construction activity. >>> GENERAL REQUIREMENTS <<<	1	
01.0375 P1 PRIME BARE WOOD The exposed face of all newly installed wood and all wood scraped down to bare wood must be primed with appropriate primer. >>> GENERAL REQUIREMENTS <<<	1	
01.0400 P1 CAULKING WOOD Caulking, if any, must occur only after primer has been applied to the area being caulked and prior to the installation of any paint. >>> GENERAL REQUIREMENTS <<< 01.0425 P1 CONCEAL ANY NEW WIRING & PLUMBING LINES FROM VIEW	1	
All new electrical wiring and plumbing lines are to be installed concealed from view inside stud walls, under floors and in attics. Unless otherwise approved by Homeowner and Program Administrator, surface mounted wire mold and conduit are not permitted. >>> GENERAL REQUIREMENTS <<<	1	
01.0450 P1 INSULATE EXPOSED WALL CAVITIES All exposed exterior wall cavities that are to be enclosed by a new wall surface material are to have R-13 insulation installed in the cavity before the new wall surface material is installed.		

Customer: _____ Contractor: _____

Daniel Ferreyra WWU: Daniel Ferreyra Site: 3347 Wood Hill Dr.

Dated: 2/22/2010 * EXHIBIT 1 *

Location / Work Description	Quantity	UOM	Cost
O1.0475 P1 REDUCE AIRBORNE DUST DURING CONSTRUCTION Contractor to take steps necessary to reduce and contain airborne dust created during construction, demolition and removal of defective paint. Wet scrape if removing defective paint. Do NOT use electric sanders or torches if removing paint. Contractor and workers encouraged to wear protective clothing and respirators and to follow hygiene procedures approved by OSHA. >>> GENERAL REQUIREMENTS <<<	1		
O1.0500 P1 GENERAL CLEAN-UP Contractor to provide clear and safe passage ways in and around structure during project. Contractor to remove debris and building materials from in and around structure being repaired to legal dump site regularly and at the end of the project. In progress and final clean-up to includebut is not limited todamp wiping, sweeping, mopping and vacuuming. >>> GENERAL REQUIREMENTS <<<	1		
HOMEOWNER WORK	 <u> </u>		
05.0025 P1 CUSTOMER AGREES TO APPLY FOR PARTICIPATION IN WEATHERIZATION PROGRAM The Customer has agreed to apply for participation in the local weatherization program. >>> GENERAL REQUIREMENTS <<<	1		
05.0050 P1 CUSTOMER TO BOX-UP BREAKABLES The Customer is responsible for boxing-up and protecting any breakable items. >>> GENERAL REQUIREMENTS <<<	1		
ROOF & ATTIC	 		
35.0350 P1 REMOVE ALL ROOF COVERING MATERIAL DOWN TO SHEATHING Remove all roof covering material down to roof sheathing. Remove all debris to legal dump site. Take precautions to protect plants, shrubs, trees and fences from damage	 		
during removal. >>> ROOF & ATTIC <<<	2,900	SF	
35.0401 P1 REPLACE UP TO 10% OF ROOF DECKING (MODIFIED) Replace up to 10% of any rotten, badly warped or broken roof decking and nailers. Material shall match remaining material as closely as possible. Roofs requiring more than 10% decking replacement shall be covered through a Change Order. Call Program Administrator for Compliance Inspection after installing new decking and nailers, and			
Customer: Contractor:	•	· '	

Daniel Ferreyra

Dated: 2/22/2010

WWU: Daniel Ferreyra

* EXHIBIT 1 *


Site: 3347 Wood Hill Dr.

Location / Work Description	Quantity	UOM	Cost
before replacing additional decking and nailers. ROOF DECKING ATTACHMENT AND FASTENERS SHALL BE STRENGTHENED AND CORRECTED AS REQUIRED BY SECTION 201.1 OF THE FLORIDA BUILDING CODE. A SECONDARY WATER BARRIER SHALL BE PROVIDED AS REQUIRED BY SECTION 201.2 >>> ROOF & ATTIC <<<	320	SF	
Install 15 lb asphalt saturated felt or approved equivalent and new 220 lb or heavier class "A" three tab fiberglass self sealing strip shingles on top of roof decking according to current code requirements and manufacturer's instructions. Install new FHA approved drip edge with a white baked on enamel finish at all fascia boards and barge rafters. Install metal flashing tucked behind siding at intersections of roof and walls. Install galvanized metal flashing tucked securely and at least 1/2" into masonry units of chimneys. Shingle color to be selected by Owner from standard inventory colors. No special order or premium colors will be allowed.			
>>> ROOF & ATTIC <<< 35.1075 P1 INSTALL RIDGE VENT Install continuous shingle over ridge vent along ridge lines of roof according to manufacturer's instructions.	2,900	SF	
>>> ROOF & ATTIC <<<	44	LF	
PORCHES & ENTRANCES 40.0200 P1 FORM AND POUR A NEW CONCRETE WHEELCHAIR RAMP Pour a reinforced concrete wheel chair ramp that is at least 4" thick, built to code and has a slope that does not exceed 1/12 (8.3%) slope. Cut out and remove existing concrete to insure minimum 4" concrete thickness along entire length. Pour concrete up to better of threshold and insure greath transition to existing walls.)		
to bottom of threshold, and insure smooth transition to existing walk. >>> GARAGE <<< 40.0200 P1 FORM AND POUR A NEW CONCRETE WHEELCHAIR RAMP Pour a reinforced concrete ramp that is at least 4" thick, built to code and has a slope the does not exceed 1/12 (8.3%) slope. Cut out and remove existing concrete to insure minimum 4" thickness along entire length. Pour concrete up to bottom of threshold, and insure smooth transition to existing walk.		SF	
>>> FRONT PORCH/ENTRANCE <<< 40.0200 P1 FORM AND POUR A NEW CONCRETE WHEELCHAIR RAMP Pour a reinforced concrete wheel chair ramp that is at least 4" thick, built to code and has a slope that does not exceed 1/12 (8.3%) slope. Cut out and remove existing concrete to insure at least 4" thickness along entire ramp. Pour concrete up to bottom of threshold, and insure smooth transition to existing walk.		SF	
>>> REAR PORCH/ENTRANCE <<<	18	SF	
Customer: Contractor:			

Daniel Ferreyra WWU: Daniel Ferreyra Site: 3347 Wood Hill Dr. Dated: 2/22/2010 * EXHIBIT 1 *

Location / Work Description		Quantity	UOM	Cost
		1 1 1		
		I I		
	Cost Summary			
Total Cost				

Customer: _____ Contractor: _____



MINORITY and WOMEN BUSINESS ENTERPRISE PARTICIPATION PLAN

All respondents, <u>including</u> Minority Business Enterprises (MBEs) and Women Business Enterprises (WBEs), shall complete and submit this M/WBE Participation Plan with their proposal. Through submission of its bid/proposal, Respondent certifies, acknowledges and agrees that the Participation Level and the Good Faith Efforts herein designated are accurate and true; and, that the individual whose manual signature is on this submission is duly authorized on behalf of the respondent to make such certification.

For the purposes of MWBE participation on Leon County projects, the following definition applies: "Certified Minority Business Enterprise (MBE) and Women Business Enterprise (WBE)" are firms certified by Leon County or the City of Tallahassee. Some firms with MBE or WBE certification by the State of Florida may be accepted under a reciprocal agreement but those from other governmental organizations are not accepted by Leon County. "

DIRECTIONS: Each respondent must designate in Section 1 its level of MWBE participation. If the aspirational targets are not met or exceeded, Section 2 must be completed. All Respondents are to list subcontractor as appropriate in Sections 3 and 4.

<u>Section 1 - Aspirational Target for M/WBE Participation</u> The aspirational target for this project is:

Aspirational Target for Construction

M/WBE Classification	Aspirational Target(s)
Certified Minority Business Enterprises (MBE)	17% of the total anticipated contract value
Certified Women Business Enterprises (WBE)	9% of the total anticipated contract value

Section 2 - Good Faith Effort

The following list of the good faith efforts criteria complies with Leon County's Purchasing and Minority, Women, and Small Business Enterprise Policy 96-1 which is used in the determination of whether a contractor has performed and documented good faith efforts.

Please check the appropriate box to designate those actions you have done as "Good Faith" in order to secure MWBE participation for this solicitation "Good Faith Effort" statement that applies to your firm and attach documentation of such:

- Advertised for participation by M/WBEs in non-minority and minority publications within the Market area, including a copy of the advertisement and proof of the date(s) it appeared or by sending correspondence, no less than ten (10) days prior to the submission deadline, to all M/WBEs referred to the respondent by the MWSBE Division for the goods and services to be Subcontracted and/or Supplied
- Documented that the bidding Prime Contractor provided ample time for potential MBE and/or WBE subcontractors to respond to bid opportunities, including a chart outlining the schedule/time frame used to obtain bids from MBE and WBE Vendors as applicable to the aspirational Target.
- □ Contacted the MWSBE Division for a listing of available M/WBEs who provide the services needed for the bid or proposal.
- □ Contacted MBEs and/or WBEs who provide the services needed for the bid or proposal.
- Documented follow-up telephone calls with potential M/WBE subcontractors seeking participation.
- Allowed potential M/WBE Subcontractors to review bid specifications, blueprints and all other Bid/RFP related items at no charge to the M/WBEs.

П	regarding problems the with respondent is having in achieving and/or reaching the aspirational targets.
	Other documentation indicating their Good Faith Efforts to meet the aspirational targets. Please provide details below.
	Respondent is unable to provide a Good Faith Effort due to the structure of the firm. Please identify the reason below. (For Example: A Non-For- Profit Organization)

Leon County reserves the right to request supporting documentation as evidence of good faith efforts indicated above at any time. Failure to provide supporting documentation when requested shall deem your bid/proposal as non-responsive.

<u>Section 3 - Respondent's Proposed MBE Participation</u>. Respondent shall complete the following Table identifying each certified MBE firm they intend to use on this project. Attach additional sheets as necessary.

MBE and WBE Intended Utilization

Firm's Name	Firm's Location	Firm's	Ethnic	Total Dollar	Type of
	Address		Group ²	Amount of	Service to
(Requires Leon County or		Telephone			
City of Tallahassee MWBE	(Must be in Leon, Gadsden,	Number	(B, A,	MBE	Provide
certification) ¹	Jefferson or Wakulla		H, N,	Participation	
	Counties, FL to be certified)		F)		
	Minority and Mamon De				
	Minority and Women Bu	isiness Enter	prise(s)	ı	
a.					
b.					
C.					
d.					
e.					
f.					

¹ <u>Certification</u> – Attach and submit a copy of each MBE and WBE certification with the proposal.

²Ethnic Group – Use of the following abbreviations: (a) MBE's include: African American (B), Asian American (A), Hispanic American (H) and Native American (N) owned firms; (b) WBEs include Non-Minority Female (F) owned firms.

<u>Section 4 - Non-MWBE Subcontractors</u>. Respondent shall complete the following Table identifying non-MBE's or WBE's subcontractors it anticipates utilizing on the project.

Non-MBE and WBE Intended Utilization							
Firm's Name	Firm's Address	Firm's Phone #	Total Dollar Amount	Type of Service to Provide			
a.							
b.							
C.							
d.							
е.							